



Lappiporras

Stairs from Finland



F  NN  SH
WOOD PRODUCTS LTD

Tresparrett Farm Villa, Tresparrett,
Cornwall PL32 9ST

Tel/Fax 01840 261 415



Email sale@finnishwoodproducts.com

STRUCTURE DIAGRAM



Lappiporras

The manufacturer reserves the right to change the design, dimensions, or measurements of the models or dimensioning presented in this brochure.



Technical data

STEPS	Glued, laminated, 40 mm
STRINGS	Glued, laminated, 32 - 40 mm
HANDRAILS	Glued, laminated, 32 - 40 x 120 mm
BALUSTERS	Straight 27 x 40 mm, lathed 43 x 43 mm
END NEWELS	80 x 80 mm
METHOD OF FASTENING	Full peg + 5 x 50 mm screw
WIDTH OF STAIRCASE	870 mm
SURFACE TREATMENT, STANDARD	2 layers of lacquer, sanding between applications
DELIVERY	Packed in parts in bubble plastic and Allfoam

Quality inspection agreement No P009 28.09.2001
 (VTT Building and Transport, structural engineering)
 JAS certification MFN-1164 (Japan)

Child-proof safety gate K3




K1



43 x 43



K2



43 x 43



K3



27 x 40



K4



ø 40



K5



ø 40



K6



43 x 43



K7



ø 40



K8



ø 23



Pleasant to the touch

Attractive and suitably designed balustrades provide the finishing touch to the appearance of a staircase. Turned or straight, a solid banister is safe to hold.

V



TK



TL




Strings V, TK and TL

Tresparrett Farm Villa, Tresparrett, Cornwall PL32 9ST

Tel/Fax 01840 261 415 Email sale@finnishwoodproducts.com

Staircase models

Staircase dimensions are for a floor height of 3040 mm. In the pictures, the sides of the staircases are numbered.



Bottom step models

The shape of the bottom step affects not only the staircase model, but also the space around the staircase. A bottom step that is carefully matched to its environment can be the final touch in choosing the details of a staircase.

